



Effective: April 9, 2024

Guideline Type	Prior Authorization
	□ Non-Formulary
	□ Step-Therapy

Applies to:

Commercial Products

Arvard Pilgrim Health Care Commercial products; Fax: 617-673-0988

Infts Health Plan Commercial products; Fax: 617-673-0988

CareLinkSM – Refer to CareLink Procedures, Services and Items Requiring Prior Authorization

Public Plans Products

⊠ Tufts Health Direct – A Massachusetts Qualified Health Plan (QHP) (a commercial product); Fax: 617-673-0988

Note: While you may not be the provider responsible for obtaining prior authorization, as a condition of payment you will need to ensure that prior authorization has been obtained.

Overview

Food and Drug Administration – Approved Indications

Besremi (ropeginterferon alfa-2b-njft) is an interferon alfa-2b indicated for the treatment of adults with polycythemia vera.

Clinical Guideline Coverage Criteria

The plan may authorize coverage of Besremi for Members when all of the following criteria are met:

1. Documented diagnosis of polycythemia vera

AND

2. Documented inadequate response or intolerance to hydroxyurea

Off-label Use Coverage for Other Cancer Diagnoses

Coverage for other cancer diagnoses may be authorized provided effective treatment with such drug is recognized for treatment of such indication in one of the standard reference compendia, or in the medical literature, or by the Massachusetts commissioner of Insurance (commissioner) under the provision of the "Sullivan Law": (M.G.L. c.175, s.47K).

The plan may authorize coverage for use for other cancer diagnoses provided effective treatment with such drug is recognized as a "Medically Acceptable Indication" according to the National Comprehensive Cancer Network (NCCN) Drugs and Biologics Compendium as indicated by a Category 1 or 2A for quality of evidence and level of consensus.

Note: The plan requires prescribers to submit clinical documentation supporting the drug's effectiveness in treatment the intended malignancy, including the applicable NCCN guideline(s).

In cases where the requested off-label use for the diagnosis is not recognized by the NCCN Drugs and Biologics Compendium, the plan will follow the Centers for Medicare and Medicaid Services (CMS) guidance, unless otherwise directed by the commissioner, and accept clinical documentation referenced in one of the other "Standard Reference Compendia" noted below or supported by clinical research that appears in a regular edition of a "Peer-Reviewed Medical Literature" noted below.

"Standard Reference Compendia"

- 1. American Hospital Formulary Service Drug Information (AHFS-DI)
- 2. Thomson Micromedex DrugDex
- 3. Clinical Pharmacology (Gold Standard)
- 4. Wolters Kluwer Lexi-Drugs

"Peer Reviewed Medical Literature"

- American Journal of Medicine
- Annals of Internal Medicine
- Annals of Oncology
- Annals of Surgical Oncology
- Biology of Blood and Marrow Transplantation
- Blood
- Bone Marrow Transplantation
- British Journal of Cancer
- British Journal of Hematology
- British Medical Journal
- Cancer
- Clinical Cancer Research
- Drugs
- European Journal of Cancer (formerly the European Journal of Cancer and Clinical Oncology)

- Gynecologic Oncology
- International Journal of Radiation, Oncology, Biology, and Physics
- The Journal of the American Medical Association
- Journal of Clinical Oncology
- Journal of the National Cancer Institute
- Journal of the National Comprehensive Cancer Network (NCCN)
- Journal of Urology
- Lancet
- Lancet Oncology
- Leukemia
- The New England Journal of Medicine
- Radiation Oncology

When the plan evaluates the evidence in published, peer-reviewed medical literature, consideration will be given to the following:

- 1. Whether the clinical characteristics of the beneficiary and the cancer are adequately represented in the published evidence.
- 2. Whether the administered chemotherapy regimen is adequately represented in the published evidence.
- 3. Whether the reported study outcomes represent clinically meaningful outcomes experienced by patients.
- 4. Whether the study is appropriate to address the clinical question.
 - a. appropriate to address the investigative question (for example, in some clinical studies it may be unnecessary or not feasible to use randomization, double blind trials, placebos, or crossover);
 - b. that non-randomized clinical trials with a significant number of subjects may be a basis for supportive clinical evidence for determining accepted uses of drugs; and,
 - c. that case reports are generally considered uncontrolled and anecdotal information and do not provide adequate supportive clinical evidence for determining accepted uses of drugs.

Limitations

None

Codes

None

References

- 1. Besremi (interferon alfa-2b). Prescribing information. PharmaEssentia USA Corporation; November 2021.
- 2. Gisslinger H, Buxhofer-Ausch V, Thaler J, et al. Long-term efficacy and safety of ropeginterferon alfa-2b in patients with polycythemia vera final phase I/II PEGINVERA study results. Blood. 2018;132(suppl 1):3030
- Gisslinger H, Klade C, Georgiev P, et al. Ropeginterferon alfa-2b versus standard therapy for polycythaemia vera (PROUD-PV and CONTINUATION-PV): a randomised, non-inferiority, phase 3 trial and its extension study [published correction appears in Lancet Haematol. 2020]. Lancet Haematol. 2020;7(3):e196-e208.
- 4. Gisslinger H, Zagrijtschuk O, Buxhofer-Ausch V, et al. Ropeginterferon alfa-2b, a novel IFNα-2b, induces high response rates with low toxicity in patients with polycythemia vera. Blood. 2015;126(15):1762-1769.
- 5. National Comprehensive Cancer Network (NCCN). Referenced from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Myeloproliferative Neoplasms. V.1.2022. Available from the Internet. https://www.nccn.org/professionals/physician_gls/pdf/mpn.pdf. Accessed 2022 March.

Approval And Revision History

September 13, 2022: Reviewed by the Pharmacy & Therapeutics Committee.

- June 13, 2023: No changes
- April 9, 2024: No changes

Point32Health companies

Background, Product and Disclaimer Information

Pharmacy Medical Necessity Guidelines have been developed for determining coverage for plan benefits and are published to provide a better understanding of the basis upon which coverage decisions are made. The plan makes coverage decisions on a case-by-case basis considering the individual member's health care needs. Pharmacy Medical Necessity Guidelines are developed for selected therapeutic classes or drugs found to be safe, but proven to be effective in a limited, defined population of patients or clinical circumstances. They include concise clinical coverage criteria based on current literature review, consultation with practicing physicians in the service area who are medical experts in the particular field, FDA and other government agency policies, and standards adopted by national accreditation organizations. The plan revises and updates Pharmacy Medical Necessity Guidelines annually, or more frequently if new evidence becomes available that suggests needed revisions.

For self-insured plans, coverage may vary depending on the terms of the benefit document. If a discrepancy exists between a Pharmacy Medical Necessity Guideline and a self-insured Member's benefit document, the provisions of the benefit document will govern.

Treating providers are solely responsible for the medical advice and treatment of members. The use of this policy is not a guarantee of payment or a final prediction of how specific claim(s) will be adjudicated. Claims payment is subject to member eligibility and benefits on the date of service, coordination of benefits, referral/authorization and utilization management guidelines when applicable, and adherence to plan policies and procedures and claims editing logic.